THE GRADUATE COLLEGE OF MARINE STUDIES



Brown Laboratory, Room 113 University of Delaware Newark, Delaware 19716-2522 Ph: 302/831-4441 Fax: 302/831-6335 Internet: hwaite@brahms.udel.edu

September 18, 1997

Dr. Keith B. Ward Office of Naval Research 335/ONR/FR57 800 North Quincy Street, Arlington, VA 22217-5660

Re: "Interfacial Culprits: Targetting Proteins of Byssal Adhesion"
Principal Investigator: Dr. J. Herbert Waite.

Dear Dr. Ward:

Enclosed is the final report for ONR grant N00014-89-J-3121. The report summarizes the significant results obtained during the entire period of support and is being distributed as per your recommendations. Please call if you have questions or need additional information.

Approved for public released

Distribution Unlimited

Sincerely,

J. Herbert Waite

Professor, Marine Chemistry/ Biochemistry

cc: Defense Technical Information Center (DTIC)
Barry L. Copeland - Administrative Contracting Officer, ONR
Director - Naval Research Laboratory
CMS Business Office - University Cf Delaware Research office

DIE QUALITY DEFRECIED 4

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden. to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

	2-4302, and to the office of Management and b		201756	
1. AGENCY USE ONLY (Leave blan	Prom 1/8/93 to 9/30	3. REPORT TYPE AND 1/96 Final 1		OVERED
4. TITLE AND SUBTITLE			5. FUNDIN	G NUMBERS
Interfacial Culprits: Targetting Proteins of Byssal Adhesion.			G N00014-89-J-3121 R&T 4107-002	
6. AUTHOR(S)				
J. Herbert Waite				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)				MING ORGANIZATION NUMBER
University of Delaware 77-79 E. Delaware Avenue, Newark, DE 19716			ner o	NONIZER
9. SPONSORING/MONITORING AG	ENCY NAME(S) AND ADDRESS(ES)			ORING/MONITORING Y REPORT NUMBER
Office of Naval Re 800 North Quincy S Arlington, VA 22	Street,		AGLIVO	1 KEFORT NOW.SER
11. SUPPLEMENTARY NOTES	e de la companya del la companya de la companya del la companya de	Transfer of the Control of Control of Control of the Control of Co		CONTROL OF THE CONTRO
12a. DISTRIBUTION / AVAILABILITY	CTA TERRENT		12b. DISTF	RIBUTION CODE
12a. DISTRIBUTION / AVAILABLETT STATEMENT			, , , , , , , , , , , , , , , , , , , ,	
Distribution Unlimited				
13. ABSTRACT (Maximum 200 words)				
Marine mussels (<i>Mytilus</i>) form permanent adhesive bonds with hard surfaces in their environment. The adhesive plaques of the byssus are situated in closest proximity with the bonded foreign surface. Of the four proteins known to be present in byssal plaques, we have isolated, characterized, and cloned several variants of Mefp-3. These are small basic proteins (5 to 7 kDa) with two prominent post-translational modifications, 3, 4-dihydroxyphenylalanine and 4-hydroxyarginine. Laser desorption studies of byssal plaques indicate Mefp-3s to occur at or near the interface.				
14. SUBJECT TERMS				15. NUMBER OF PAGES
FOULING, ADHESIVE, MUSSELS, BYSSUS, Mefp-3				Complete 16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT U	18. SECURITY CLASSIFICATION OF THIS PAGE U	19. SECURITY CLASSIFI OF ABSTRACT U	CATION	20. LIMITATION OF ABSTRACT UL

GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to *stay within the lines* to meet *optical scanning requirements*.

- Block 1. Agency Use Only (Leave blank).
- Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.
- Block 3. Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 30 Jun 88).
- Block 4. <u>Title and Subtitle</u>. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.
- Block 5. Funding Numbers. To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract

PR - Project TA - Task

G - Grant PE - Program

Element

WU - Work Unit Accession No.

- Block 6. <u>Author(s)</u>. Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).
- Block 7. <u>Performing Organization Name(s) and</u> Address(es). Self-explanatory.
- Block 8. <u>Performing Organization Report Number</u>. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.
- Block 9. <u>Sponsoring/Monitoring Agency Name(s)</u> and <u>Address(es)</u>. Self-explanatory.
- Elack 10. <u>Sponsoring/Monitoring Agency</u> <u>Report Number</u>. (If known)
- Block 11. Supplementary Notes. Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. <u>Distribution/Availability Statement</u>. Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."

DOE - See authorities.

NASA - See Handbook NHB 2200.2.

NTIS - Leave blank.

Block 12b. Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank.

NTIS - Leave blank.

- Block 13. <u>Abstract</u>. Include a brief (*Maximum 200 words*) factual summary of the most significant information contained in the report.
- **Block 14.** <u>Subject Terms</u>. Keywords or phrases identifying major subjects in the report.
- **Block 15.** <u>Number of Pages</u>. Enter the total number of pages.
- **Block 16.** Price Code. Enter appropriate price code (NTIS only).
- Blocks 17. 19. Security Classifications. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.
- Black 20. <u>Limitation of Abstract</u>. This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

FINAL REPORT

Grant#: N00014-89-J-3121

PRINCIPAL INVESTIGATOR: Dr. Herbert Waite

INSTITUTION: University of Delaware

GRANT TITLE: Interfacial Culprits: Targetting Proteins of Byssal Adhesion

AWARD PERIOD: 1 January 1993 - 30 September 1996

<u>OBJECTIVE</u>: To investigate the identity and distribution of proteins at or near the adhesive interface of the byssus, the holdfast structure in fouling marine mussels (*Mytilus*).

APPROACH: Normal cross-linking of proteins in the byssal adhesive plaques is perturbed by a temperature shock i.e. 18° to 8°C. Proteins are extracted from the plaques using acidic buffers containing 8M urea. These proteins are purified by reversed phase HPLC and sequenced by Edman chemistry and matrix-assisted laser desorption ionization mass spectrometry coupled with carboxypeptidase digestion. Sequence of other variants is generated by the polymerase chain reaction using oligonucleotide primers constructed from N- and C- terminal sequences.

ACCOMPLISHMENTS: Mefp-3 is a family of small proteins ranging in size from 5,000 to 6,500 daltons. All have similar compositions in which glycine, asparagine, 3,4-dihydroxyphenylalanine (DOPA) and tryptophan prevail, and all contain the exotic modification 4-hydroxyarginine. Of the estimated 30 or more variants in the family, we used pulsed liquid automated Edman sequencing in combination with matrix-assisted laser desorption ionization mass spectrometry (MALDI MS) to elucidate the primary structure of variant F (collaborator V. Papov at MIT). Using the sequence, we (collaborator K. Inoue at MBI, Japan) have constructed synthetic obligonucleotide primers to reverse transcribe and PCR-amplify related mRNA transcripts and derive complete sequences for these using PCR rapid amplification of cDNA ends (RACE). The complete cDNAs of seven variants have been discovered and many others are suggested. These results reflect a conserved N-terminus and hypervariable C-terminus. The functional basis for variability is not known. In order to determine whether Mefp-3 has a role in byssal adhesion, we (collaborator Mark Ross at NRL) have irradiated the underside of α-cyano 4-hydroxycinnamic acid-impregnated byssal plaques. It was found

that molecules with masses in the range 5-6.5 kDa prevail near the interface. Many of these correspond to Mefp-3 precursors isolated from the foot, even to the point of having similar distributions in arginine hydroxylation. Curiously, there appears to be some correlation between surface type, e.g. glass, steel, polyethylene etc, and the variant of Mefp-3 detected.

Methods developed during the grant period include a temperature-induced retardation of cross-linking in the byssus, protocol for isolation of a highly basic family of peptides, MS·MS characterization of hydroxylated post-translational modifications, laser desorption of interfacial proteins from the adhesive plaques, and a technique for measuring the stability constants between DOPA containing peptides and Fe (III).

<u>CONCLUSIONS</u>: Marine mussels (*Mytilus* species) are one of many invertebrate groups that form permanent adhesive bonds with hard surfaces in their environment. The adhesive plaques of the byssus are situated in intimate proximity with the bonded foreign surface. We have isolated four proteins extracted from byssal plaques. Two were previously characterized: *Mytilus* foot proteins (Mefp) 1 and 2. A third, Mefp-3, has recently been sequenced by three independent methods: Edman degradation, laser desorption mass spectrometry, and cDNA sequences. Direct irradiation of matrix-impregnated plaque bases for laser desorption-ionization mass spectrometry suggests that Mefp-3 is located at or near the adhesive interface.

<u>SIGNIFICANCE</u>: Our studies suggest that Mefp-3 is at or near the adhesive interface of byssal plaques. Whether that makes it <u>the</u> culprit of fouling remains to be determined in future studies.

PATENT INFORMATION: None.

AWARD INFORMATION: None.

<u>PUBLICATIONS AND ABSTRACTS</u> (for total period of grant)

- 1. Holl, S.M., Hansen, D.C., Waite, J.H., and Schaefer, J. 1993. Solid-state NMR analysis of cross-linking in mussel protein glue. *Arch. Biochem. Biophys.* 302, 255-258.
- 2. Rzepecki, L.M., & Waite, J.H. 1993. The byssus of the zebra mussel, *Dreissena polymorpha*. I. Morphology and in situ processing during maturation. *Mol. Mar. Biol. Biotechnol.* 2, 255-266.
- 3. Rzepecki, L.M., & Waite, J.H. 1993. The byssus of the zebra mussel, *Dreissena polymorpha*. II. Structure and polymorphism of byssal polyphenolic protein families. *Mol. Mar. Biol. Biotechnol.* 2, 267-279.
- 4. Taylor, S.W., Waite, J.H., Ross, M.M., Shabanowitz, J., & Hunt, D.F. (1994) trans-2, 3-cis-3, 4-Dihydroxyproline, a new naturally occurring amino acid is the sixth residue in the tandemly repeated consensus decapeptides of an adhesive protein from *Mytilus edulis. Journal American Chemical Society* 116, 10803-4.
- 5. Taylor, S.W., Luther, G.W., and Waite, J.H. (1994) Polarographic and spectrophotometric investigation of iron (III) complexation to 3, 4-dihydroxyphenylalanine containing peptides and proteins from *Mytilus edulis*. *Inorganic Chemistry* 33, 5819-5824.
- 6. Qin, X-X., and Waite, J.H. (1995) Exotic collagen gradients in the byssus of the mussel *Mytilus edulis*. *J. Exp. Biol.* 198, 633-644.
- 7. Waite, J.H., Diamond, T.V., Papov, V.V. and Biemann, K. (1995) Hydroxyarginine-containing polyphenolic proteins in the adhesive plaques of the marine mussel *Mytilus edulis: J. Biol. Chem.* 270, 20183-20192.
- 8. Waite, J.H. (1995) Precursors of quinone tanning: Dopa-containing proteins. *Meth. Enzymol.* 258: 1-20.
- 9. Hansen, D.C., Dexter, S.C., and Waite, J.H. (1995) The inhibition of corrosion of S30403 stainless steel by a naturally occurring catecholic polymer. *Corrosion Sci.* 37: 1423-1441.
- 10. Taylor, S.W., Ross, M.M., and Waite, J.H. (1995) Novel 3, 4-di- and 3, 4, 5-trihydroxyphenylalanine containing polypeptides from the blood cells of the ascidians: *Ascidia ceratodes and Molgula manhattensis. Arch. Biochem. Biophys.* 324: 228-240.

- 11. Inoue, K., Waite, J.H., Matsuoka. M., Odo, S., and Harayama, S. (1995) Interspecific variations in adhesive protein sequences of *Mytilus edulis, M. galloprovincialis*, and *M. trossulus. Biol. Bull.* 189: 370-375.
- 12. Inoue, K., Takeuchi, Y., Miki, D., Odo, S., Harayama, S., and Waite, J.H. (1996) Cloning, sequencing, and sites of expression for the hydroxyproline containing plaque protein of the mussel *Mytilus galloprovincialis*. *Eur. J. Biochem.* 239:172-176.